# UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

### MINERAL SURVEY NO. 4273

	Arizona		Land District.
	FIELD	NOTES	
	Of The Survey Of	The Mining Cl	aim Of
	Louis Juchem and	Rudolf Juch	.em
	ν	As The	
,	ARIZONA AMET		
	Maricopa Co		Mining District,
Surv	21 Township eyed under instructions dated	July 8,  Ralph L	, 19 <u>43</u>
			mineral Surveyor.
	Claim locatedOctober	15th	, 1928
	Survey commenced Februa	ary 8	, 19 <u>44</u>
	Survey completed Febru	ery 11	, 1944
	Address of claimant 's atto	orney, John	F. Connor, 516 Heard B Phoenix, Arizona.
	DATES OF AMEN	NDED LOCATIONS	

Feet

Mineral Survey No. 4273 was made with a C. L. Berger & Sons precise transit, with horizontal limb 6.25 inches in diameter, having double opposite verniers, and full vertical circle 5 inches in diameter, having one double vernier; the verniers read to one minute of arc; the eye piece is equipped with a colored glass slide in a prise matic evernier for making direct observations upon the matic eye piece for making direct observations upon the sun. The instrument was in good condition at the time of survey and all adjustments were in good order. Alp.m. altitude observation of the sun for azimuth, and at noon on the meridian for latitude, were made at Cor. No. 1, the details of which observations are shown in the calculation sheets submitted herewith for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a Keuffel & Esser steel tape, 100 feet in length, graduated to feet, tenths and hundredths of feet for the entire length; a Keuffel & Esser steel tape, 300 feet in length, graduated to feet, tenths and hundredths of feet for the entire length; a Rufkin steel tape, 25 feet in length, graduated to feet, inches and fractions of inches for the entire length. All tapes were compared with a Lufkin standard tape at the time of beginning the survey and found correct.
All lines and connections of this survey were run by

direct methods.

The magnetic variation observed at each corner of the survey gave a uniform value of 13° 15' E.,

#### ARIZONA AMETHYST Placer.

Beginning at Cor. No. 1 of the Arizona amethyst placer

A quartzite rock in place, 19x25 ins., 8 ins. above ground, mkd. Al-1-4273; from which

U. S. L. M. No. 4273 Four Peaks Mining District bears N.85°149 E.591.6 ft, being a cross on flat top of high quartzite cliff, also mkd. U.S.L.M.No.4273

A monument of rocks, 3 ft. high, 3 ft. base bears northerly four feet.

A red ceder tree, 8 ins. diameter, 20 ft. high, blaze and mkd. BT AA21-4273 bears S. 47° 15' E., 12.6 ft. blazed

A quartzite boulder 79x100 ins., 71 ins. high N. 33° 20' E., 26.8 ft., mkd. BR X AA-1-4273 71 ins. high bears

#### thence N. 1º 43' W.,

Cross Amethyst Gulch, 10 ft. wide, course westerly 567.0

Cor. No. 2 600.0

a quartzite rock in place, I5x15 ins., 18 ins. above ground, mkd. An-2-4273; from which

A monument of rocks, 4 ft. high, 3 ft. base, bears southerly 4 ft.

A schist rock in place, 54x65 ins., 15 ins. above ground, bears North 4.0 ft., mkd. BR X A 4-2-4273

thence N. 88° 17. E.

This area of excavation is about 100 The in

и, в. сочением тинтине отнов 6—8155

33

I		Mineral Survey No. 4275 - Arizona	
	Feet		
	880.0	Cross trail, 2 ft. wide, course northwesterly	
1	1320.0	Point for Cor. No. 3, inaccessible due to sheer walls of quartzite cliffs forming the peaks of the Four Peaks	
	and note	thence S. 1° 43' E.,	
7	130.0	Witness corner for Cor. No. 3	
	ę. Tu	the east face of a quartzite cliff, 10x20 ft., mkd. WC AA-3-4273; from which	
	-14 was a	a monument of rocks, 5 ft. high, 3 ft. base bears easterly 3 ft.	
	145.0	Cross Amethyst Gulch, 5 ft. wide, course westerly	
	600.0	Cor. No. 4	
3	ž	Due to the extreme steepness and height of the quartzite cliffs forming the crest of the Four Peaks, this point is inaccessible	
	a	thence S. 88° 17' W.,	
	273.0	Witness corner for Cor. No. 4	
		The south face of a quartzite cliff, 20 ft. wide, 50 ft. high, mkd. WC X AA-4-4273; from which	
		a monument of rocks, 3 ft. high, 3 ft. base, bears westerly 3 ft.	
	752.0	Cross trail, 2 ft. wide, course northerly.	
	1320.0	Cor. No. 1 and place of beginning.	
	er seef sto dollo erine	Total area Total Arizona Amethyst Placer 18.182  LOCATION	
The survey of this place		This survey is situated in approx. Sec. 21, T. 4 N., R. 10 E., unsur., in the Tonto National Forest.  The survey of this placer is identical with the amended location as marked on the ground.	
		EXPENDITURE OF \$500	
	¥.(≥	I certify that the value of the labor and improvements made upon this placer location by the claimants or their grantors is not less than \$500, and that said improvements consist of:-	
	No. 1	The discovery cut of the Amizonatamethyst Placer, the	
	Propi	mouth of which bears N. 46° 43' W., 423 ft. from Cor. No. 4; 8 ft. wide, 20 ft. face, running N. 88° E., 40 ft. to face  Value \$800	
	25437-9	The surface of the ground has been cleared within the	
		circle marked on the map as area of excavation.  Trenchs and open cuts were made within this area but have been filled again with debris from the excava-	
		tions. This area of excavation is about 100 ft in diameter, the mouth of the discovery cut being on its western	
	T	edge. T. S. GOVERNMENT FRINTING OFFICE . 0-8155	

Considerable work has been done on the trail from the camp to the mine, and each year more work has to be done to keep the trail open.

Value - not known.

#### OTHER IMPROVEMENTS.

Juchem's Camp is a recess at the foot of a high quartzite cliff, 8 ft. high, 8 ft. wide and 15 feet long.

#### ESTABLISHMENT OF U.S.L.M. NO. 4273.

The nearest public land corner to Mineral Survey No. 4273 is about 10 miles to the north. There have been no other mineral surveys in the Four Peaks Mining District. Therefore it was necessary to establish a location monument for this survey.

This is situated on the top of a high quartzite cliff just east of the main trail and about 50 feet south of the Juchem Camp. This cliff forms part of the series of cliffs leading to the crest of the Four Peaks about 1000 feet to the east.

1000 feet to the east.

The face of the cliff is 50 feet high and faces the west. It is situated about the center of the west slope of the South Peak.

The location of U. S..L.M. No. 4273 commands a view of all of the Four Peaks District to the southwest, west and northwest and is within two miles of several groups of mining claims lying on down the west slope.

The position of U.SIM No. 4273 is shown on the Roose-velt Quadrangle Topographic Sheet of the U.S. Geological Survey which accompanies this report.

XUSLM No 4273 chiseled on the top of quartzite cliff, 6xl2 ft. on top, 50 ft. high on west side. Moneument of rocks, 6ft. diam, 5 ft. high bears easterly 15 ft.

Mc Dowell Peak bears S. 66° 43' W., 23.5 miles.

Highest point of Camelback Mountains bears S. 73° 51' W. 40 miles.

Windmill at Hughes' Cottonwood Ranch bears S. 63° 05' W., 7.5 miles. (On the Roosevelt Quadrangle this is shown as Stewarts Camp).

## UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

### FINAL OATHS FOR SURVEYS

#### LIST OF NAMES

A list of the names of	of the individuals employed by Ralph L. Motz
Mineral Surveyor, to as	ssist in running, measuring, and marking the lines, corners, and boundaries
described in the foregoin	g field notes of the survey of the mining claim of Louis Juchem and
Rudolf Juchem	
known as the ARIZ	ZONA AMETHYST Placer
and showing the respective	ve capacities in which they acted.
	Raul Martinez , Chainman.
	, Chainman.
	Frank Chavez , Axman.
	Flagman.
	TINIAL CAMPING OF ACCUSED
	FINAL OATHS OF ASSISTANTS
We,	Raul Martinez
and Frank Cha	a vez , do solemnly swear that we assisted Ralph L. Motz
	ing claim of Louis Juchem and Rudolf Juchem
	ARIZONA AMETHYST Placer
	ing field notes as having been surveyed by said mineral surveyor and under his
	arvey has been in all respects, to the best of our knowledge and belief, faithfully
	nd the corner and boundary monuments established according to law and the
	the Office Cadastral Engineer, at Phoenix, Arizona.
	Rauf marting, Chainman.
	Irank Chavez, Axman.
	Nank Chavey, Axman.
Subsc	cribed and sworn to by the above-named persons before me this
	ay of February 10.44
	WN Miescher
6.104	Notary Public, in and for the County of
6—1048 II. A. GOVERNWEST PRINTING OF	Cochise, State of arizona.

My commission expires February 3, 1945.

## DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

### FINAL OATH OF U.S. MINERAL SURVEYOR

I, Ralph L. Motz , U. S. Mineral Surveyor,
do sciemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona , dated July 8, 1945
I have, in strict conformity to the laws of the United States, the official regulations
and instructions thereunder, and the instructions of said Office Cadastral Engineer,
faithfully and correctly executed the survey of the mining claim of
Louis Juchem and Rudolf Juchem known as the
ARIZONA AMETHYST Placer
situate in Mining District,
Maricopa County, Arizona , in Section
21 (Approx) , Township No. 4 N., Range No. 10 E., (Unsur)
and designated as Survey No. 4273 G. & S. R. M. as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy of
the location certificate, which was received by me from the Office Cadastral Engineer
with said instructions, and that all corners of said survey have been established and
perpetuated in strict accordance with the law, official regulations and instructions
thereunder; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and im-
provements made upon said mining claim by claimantsor their
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been in-
cluded in the estimate of expenditures upon any other claim.
Ralf L. Mox
(U. S. Mineral Surveyor.)
Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me W. H. Miescher, Notary Public
this 12th
day of February 1944

Notary Public, in and for the County) of Cochise, State of Arizona.

My commission expires February 3, 1945

4-694.

Title Page to Report under Paragraph 200, Mining Circular, Approved May 200, 1922.

### REPORT

Under paragra	167 ph 🙉, General Mining C	ircular, ap	April 11, 1922 proved <b>MaxxxxXX</b> , upon the Pla	ncer Mining Claim
known as the	ARIZONA AMI	ETHYST		
**************************************				
			Rudolf Juchem	
::				
situate in	Four F	eaks		Mining District
Mari	сора	County,	Arizona	embracing
approxxix		endocede	intervenceshandredticsx	18.182 acres
aezeexoba	erecut,			
	**************************************			
			4	
			, Range 10 E., (ur	
			G. &. S. R.	
	7.1.0.22			
Examination ma	de Feb. 8-11	, 19.44		
		Bv	Ralph L. Motz	
31304b3m8-07				ineral Surveyor.

#### Report.

The Arizona Amethyst Placer claim is located on the west slope near the top of the Four Peaks Range. It Lies partly on South Peak and partly on the next peak north. The slope is exceedingly steep. The center line of the claim follows a ridge whose slope to the west runs from 24° to 30°. The slope from the west center to the northewest is down to the gulch at 27°. From the main workings east the ground is precipitous and rises abruptly up steep cliffs to the crest.

There seems to be an abundance of good soil interspersed with huge boulders of quartzite. The ground is covered with a dense growth of manzanita, strub oak, stunted cedars and other small trees typical of the mountains of Arizona. There is also a wide variety of cactus. None of the timber is of commercial quality. The cost of road to take out the small timber would be prohibitive.

There are no streams on the property. Amethyst Gulch is a typical Arizona mountain gulch with no live water. Heavy floods in the rainy season bring down large rocks but the gradient is so steep that the water does not have a chance to settle. C. See G herein.

a chance to settle. C. See G herein.
The nearest residence of any kind to the property is
the Hughes' Cottonwood Ranch which is 7 1/2 miles by air
line and 12 miles by trail in a south westerly direction.
From there it is 7 miles to the Bush Highway and then
26 miles to the main highway U. S. 80, and then 8 miles
to Mesa, the center of trade.

The nearest system of lode deposits to the claim is one mile to the west, and this system of veins runs north and south paralleling the end of the placer claim.

The deposit on the Amethyst Placer is valuable for the crystals of amethyst, a gem stone. This type of mining does not require much water, only for domestic purposes. This is obtained from a spring about 200 feet south of the south side line of the placer.

There are no lode mining claims, salt likks, salt springs, springs of fresh water, mill sites or any other property within a mile of this claim.

There has been a considerable amount of work done on this property by the claimants and their grantors. The main workings consist of an open cut 8 ft. wide, 20 feet high and 40 feet long located N. 46° 43' W., 423 ft. from Cor. No. 4; and a considerable amount of excavation around this improvement, most of which has been covered with debris from such excavations. A considerable amount of money has been spent on building and maintaining a trail. The value of the gem stones obtained from this claim is not known to me but is said to be way up in the thousands of dollwrs.

Mineral Surveyor, G.L.O.

A

В

D

E

F

G

H

## OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 167, General Mining Circular, approved April 11, 1922.

I, Ralph L. Motz, U. S. Mineral Surveyor,
do solemnly swear that in pursuance of an order received from the U. S. Surveyor
General for Arizona , dated July 8, , 1943 ,
I have made, under the provisions of paragraph 167 General Mining Circulations
April 11, 1922 approved warring with a personal and thorough examination, upon the premises,
of the placer mining claim of Louis Juchem and Rudolf Juchem
known as the ARIZONA AMETHYST
situate in Four Peaks Mining District,
Maricopa County, Arizons , embracing
-approximately Eighteen and eighteen one hundredths (18.18)
acres thereof,
situated in Sec. 21 (Approx)
in Township No. 4 No., Range No. 10 E. (Unsur), and that my report
of such examination, hereto attached, is specific and in detail, and is a full and true
statement of the facts upon all the points specified in the paragraph referred to.
To the paragraph referred to.
Ralf P. Mas
U.S. Mineral Surveyor.
Subscribed and sworn to by the said Ralph L. Motz
before me W. H. Miescher, Notary Public
this 14th day of February , 1944
les & Muchen
Notary Public, in and for the County of Cochise, State of Arizona.
My commission expires Feb. 3. 1945.

### CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 30% GENERAL MINING CIRCULAR.

State of Arizona
County of Maricopa }88:
Henry W. Laub
being first duly sworn, severally depose and say that he is personally and well acquainted with the
placer-mining claim of Louis Juchem and Rudolf Juchem
, known as the ARIZONA AMETHYST
, situate in
Four Peaks Mining District,
Maricopa County, Arizona , embracing
approximately Eighteen and eighteen one hundredths (18.18)
acres thereof,
in Sec. 21 (Approx), in Township No. 4 N.,
Range No. 10 E (Unsur) GESRM; and also with the character of all the land included
in said claim, and has been so acquainted for Six (6) years last
past; that his knowledge of said claim and land is derived from personal knowledge of
the claim and its character derived by working on the claim and
by virtue of owning claims adjacent to the area and is such as to enable
him to testify understandingly with regard thereto; that he has carefully read the foregoing report
of Ralph L. Motz
that to his own personal knowledge said report is in all respects true and accurate.
Henry W. Laub
Henry W. Laub
Subscribed and sworn to by the above-named person's before me
this $28^{\frac{\pi}{4}}$ day of February 1944.
ann Steinker
Notary Public
3485b2m2-09 My Commission Expires

#### OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

#### United States Department of the Interior

GENERAL LAND OFFICE
PUBLIC SURVEY OFFICE

	Fnoenix, Arizona	
	April_5, 19_	44
I, Office Cadastr	Engineer at Phoenix, Arizona	
do hereby certify the	the foregoing transcript of the Field Notes, return and approval of the surv	e <b>y</b>
	Louis Juchem and Rudolf Juchem	
	ARIZONA AMETHYST PLACER	
situate in	Four Peaks	
A	Maricopa County Arizona , Township No. 4 N., Range No. 10 E. (Unsur.)	
	No. 4273, has been correctly copied from the originals on file	
this office; that said	field Notes furnish such an accurate description of said mining claim as will	, if
incorporated into a pa	ent, serve fully to identify the premises, and that such reference is made there	ein
to natural objects or	permanent monuments as will perpetuate and fix the locus thereof.	
I further certify	nat Five Hundred Dollars worth of labor has been expended or improvemen	nts
made upon, or for	he benefit of, each location embraced in said mining claim by claims	ints
	or their granto	
and that said improv	ments consist of	
	l cut value \$800.00	
24		
and that no portion of	said labor or improvements has been included in the estimate of expenditure	es:
upon any other claim		
I further certify	hat the plat thereof, filed in the District Land Office atPhoenix,	
Arizona	is correct and in conformity with the foregoing Field Notes.	
	E. A. Thompson	
	Office Cadastral Engineer.	

## CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

## UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

PUBLIC SURVEY OFFICE

	At Phoenix,	Arizona
		April 5 , 1944
I, Office Cadastral Engineer atP	hoenix, Arizona	
do hereby certify that the foregoing and her	reto attached Field Notes an	d Return of the Survey of the
Mining Claim of Louis Juchem		
ARIZONA	AMETHYST PLACER	
situate inFour	Peaks	mining district,
Maricopa County,	Arizona	
in Section 21 (Approx), Township	p No4_N	, Range No. 10 E. (Unsur.)
G.& S.R.M., designated as Survey	No. 4273	
executed by Ralph L.	Motz	, Mineral
Surveyor, February 8 to 11	, 1944	, under my instructions dated
July 8	, 1943, have been criticall	y examined and the necessary
corrections and explanations made, and the	said Field Notes and Return,	and the Survey they describe,
are hereby approved. The certified copy of	the location certificate filed	by the applicant for survey is
on file in this office and a true copy of said	d certified copy of said locati	on certificate is included and
made a part of the transcript of the field no	tes.	
	•	E. C. Shompson Office Cadastral Engineer.